

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	615	(command with line with translat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:25
L2	430	(command with line with translat\$5 with command) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:37
L3	34	((command near2 line) with (translat\$5 near2 command)) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:32
L4	0	((((command near2 line) with (translat\$5 near2 command)) same network) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:27
L5	8	((((command near2 line) with (translat\$5 near2 command)) same device) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:29
L6	0	((((command near2 line) with (translat\$5 near2 command)) same legacy) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:30
L7	0	((((command with line) with (translat\$5 with command)) same legacy) and @ad<"20001229"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:30
L8	0	((command near2 line) with (translat\$5 near2 command)) and @ad<"20001229" and (709/220. ccls. or 709/221.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:31
L9	4	((command near2 line) with (translat\$5 near2 command)) and @ad<"20001229" and ("709"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:31

L10	1	((command near2 line) with (translat\$5 near2 command)) and @ad<"20001229" and (cpi or api or cli)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:33
L11	2	(command with line with translat\$5 with command) and @ad<"20001229" and (709/220. ccls. or 709/221.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:34
L12	20	(command with line with translat\$5 with command) and @ad<"20001229" and ("709"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:36
L13	3	(command with line with translat\$5 with command) and @ad<"20001229" and ("709"/\$. ccls.) and (cpi or api or cli)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:36
L14	20	(command with line with translat\$5 with command) and @ad<"20001229" and (cpi or api or cli)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 11:37